

MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS 1963 A





IMPROVED DESIGN CRITERIA FOR CRASH HELMETS



USAARL REPORT NO. 86-11

MPROVED DESIGN CRITERIA FOR CRASH HELMETS

LICRARY

By

R. Fred Roleten

J. Haley, Jr.

BIODYNAMICS RESEARCH DIVISION

May 1986

FEB 1 1 388

Approved for public release, distribution unlimited.

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION	PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
T. REPORT NUMBER		3. RECIPIENT'S CATALOG NUMBER
USAARI. Report No. 86-11	ADA 192017	
A CONTRACTOR OF THE PROPERTY O	TIDITITION	S. TYPE OF REPORT & PERIOD COVERED
4. TITLE (and Subtitle) Improved Design Criteria for Crash	Holmate	s. TIPE OF REPORT AT EMOS GOVERES
Improved besign criteria for crash	ne ine cs	
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR/e)		S. CONTRACT OR GRANT NUMBER(*)
R. Fred Rolsten and Joseph L. Haley	. Ir.	
l	,	
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Biodynamics Research Division, SGRD	-UAD	ANEX & WORK ONLY ROMBERS
US Army Aeromedical Research Labora	tory	
Box 577, Fort Rucker, AL 36362-500	0	62777A 3E162777A878 AG 138
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
Į.		May 1986
		15. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS(II differen	it from Controlling Office)	15. SECURITY CLASS. (of this report)
	,	·m·
į		UNCLASSIFIED
		18a, DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)		L
Approved for Public Release; distri		
17. DISTRIBUTION STATEMENT (of the abstract entered	IA Block 20, It different iro	er Report)
	•	
18. SUPPLEMENTARY NOTES Presented at the	e Second Souther	Riomedical Engineering Co
ference held in San Antonio, Texas,	- Sentember 1987	Published in Riomedical En-
gineering II, Recent Developments,		
Engineering Conference, New York, P	ergamon Press. 10	983. np. 205-208
(See Reverse Side of this form)		
19. KEY WORDS (Continue on reverse side if necessary	nd identify by block number)	
Helmets, Helmet Impact Testing, Head		
,		
Ì		
20. ABSTRACT (Continue as reverse side if necessary as	d identify by block number)	
See Back of Page		
		(
		Ì
		ł

DD 1 1473 1473

EDITION OF ! NOV 65 IS OBSOLET

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)

- 18. Portions of this presentation are included in USAARL Report No. 85-5, Dynamics of Head Protection (Impact Protective Comparison of the SPH-4 Flight Heimet to a Commercial Motorcycle Helmet, by R. Fred Rolston and J. L. Haley, Jr. July 1985.
- 20. A commercial motorcycle helmet was impact evaluated. The motorcycle helmet's impact protection is compared to that of the SPH-4, the standard Army aviator's helmet. Drop tests, ranging from 0.91- to 2.44-meters, were used for the helmet testing by means of a helmet/headform free-fall device. The two examples of the helmet were subjected to 16 drop tests. Two of these drop tests resulted in a high level of transmitted force and acceleration which focuses on the inadequate thickness of the motorcycle helmet liner. The helmets did not provide adequate protection to prevent concussion or serious injury at all energy levels greater than produced at a 1-meter drop height. The tested helmets could be changed to provide adequate protection by doubling the thickness of the liner.

Acces	sion For	
NTIS	GRA&I	de
DTIC	TAB	7
Unann	ounced	ō
Justi	fication_	-
By Distr	ibution/	
Avai	lability	Codes
Dist	Avail and Special	
A-1	i i	
	ALITY COLEED 2	

የይሄቤተመፅጀትልያትይ ለይዛይ ለይላይ ለይላይ ለይላይ ለይላይ ለይላይ ለይላይ ለተከራ እርስ እንደ ለመፈለገ ለመፈለገ ለመፈለገ ለመፈለገ ለመፈለገ ለመፈለገ ለመፈለገ ለመፈለገ

Table of contents

	Page	No.
Introduction	• •	3
Method	• •	3
Procedure	• •	3
Results and disucssion	• •	7
Compendium of US Army SPH-4 flight helmet testing	1	1
Conclusions		
References	1	5
<u>List of figures</u>		
Figure 1. Cutaway view of the motorcycle test helmet	• •	4
Figure 2. Helmet/headform free-fall test device	••	5
Figure 3. Variation of transmitted accelerations		
for three drop heights	• •	8
Figure 4. Variation of transmitted accelerations		
for two drop heights	• •	9
Figure 5. Peak headform deceleration vs. drop height		
compared to derived Wayne State University tolerance curve	1	ດ
Figure 6. US Army aviator helmetthe SPH-4	1	2
Figure 7. Transmitted deceleration of standard		
US Army aviator helmet	1	3
<u>List of tables</u>		
Table 1. Peak g, transmitted force, and rebound		
velocity measured in 16 helmet-headform		

KONST KKKKKK TOOMENS TOOMENSTERNING TOOMENSTERNING TOOMENS ON TOOMENS ON THE SOURCE TOOMENS ON THE

Introduction

Based on government motorcycle test standards in this country and abroad, your head may sustain a transmitted deceleration of up to $400~\underline{g}$ as a result of impacting pavement from a six-foot fall. Various studies since 1962 have shown that \underline{g} levels above 150 will result in various degrees of injury. Levels about 250 \underline{g} could be fatal based on the studies of knockout boxing impacts; thus, it is imperative that helmet design/test criteria be revised.

It is well within industry capability to construct improved impact protective helmets; however, the compressive foam must be reduced in density and increased in thickness and the test impact surface must be changed to a flat rather than a sharp corner surface.

This report illustrates the performance of two foreign motorcycle helmets and shows the improvement possible by reducing foam density and increasing its thickness.

Method

The commercial motorcycle helmet shown in Figure 1, was impact evaluated. The shell was a solid integral-white plastic of 4.2 mm thickness at the crown, with a thickness of 3.5 mm in the hatband region. The polystyrene energy-absorbing liner of 12 mm thickness was located about 3 cm above the ear canal at the sides and about 2 cm below the occipital bone at the rear. Retention of the helmet was accomplished by the chin strap, which was yoke-mounted to the shell. The yoke mount is preferable to a single swivel mount to the shell because rotation either forward or rearward is more difficult.

Procedure

The impact tests were conducted on a drop tower conforming to or exceeding American Standards Association (ASA) 290.1-1971 standards; the impact test device is shown in Figure 2. The rigid base plate exceeds 290.1 requirements by an order of magnitude; i.e., it weighs over 1800 kg. This mass insures that the headform acceleration is as accurate as is feasible at high acceleration levels. The helmeted headform was impacted primarily on a flat surface, but three impacts were conducted on the standard 290.1 (4.8 cm radius hemisphere) impact surface to provide comparative data. The helmets were placed on a medium size (3.76 kg) cast magnesium headform with one accelerometer mounted near the center of gravity as shown in Figure 2. The magnesium headform was attached to a lightweight cage and the cage was guided vertically on two steel cables. The headform,

helmet, and cage were elevated up the vertical cables to a selected drop height for each impact test. The weight of the headform and cage was 11.0~1b~(5.0~kg) while the weight of the helmet was 2.9~1b~(1.3~kg) for a total drop weight of 13.9~1b~(6.3~kg).




Figure 1. Cutaway view of the motorcycle test helmet.

A uni-axial accelerometer was positioned near the headform's center-of-mass, and its signal was amplified by a signal conditioner. Three piezoelectric load washers (Kistler type 9021) were positioned beneath the force plate shown in Figure 2. The accelerometer and force plate transducer were displayed on an oscilloscope and also read from peak voltage meters.

The test sequence and impact locations for the motorcycle helmet are shown in Table 1. The drop sequence is shown by test number in the table. The drop height was varied from 0.91- to 2.44-m.




Figure 2. Helmet/headform free-fall test device.

Table 1. Peak G, transmitted force, and rebound velocity measured in 16 helmet-headform impacts.

	 						Ω	DECELERATION	NC		
HELMET NO.	DROP NO	DROP LOCATION	IMPACT SURFACE	OFFSET(a) DIST. (cm)	DROP(b) HEIGHT (meters)	MEASURED(c) FORCE (NEWTONS)	Calc.(d) PEAK (G)	MEASURED PEAK (G)	Calc.(e) Avg. (G)	PULSE DURATION (millisec)	REBOUND VELOCITY (m/sec)
-	10A	R FRT	FLAT	2.5	Lħ°1	12,090	ከተሪ	6ħ2	92.5	8.0	.58
	13B	A SIDE	FLAT	2.5	1.47	13,890	279	258	105.9	7.7	.82
<u>-</u>	14C	R REAR	FLAT	2.2	1.47	14,810	298	287	113.7	9.9	₩9.
	22D	L FRT	FLAT	2.1	2.44	19.620	394	405	117.4	8.0	.73
<u> </u>	23E	L SIDE	FLAT	2.5	2.44	18,740	37.7	350	135.8	7.6	86.
_	24F	L REAR	FLAT	2.1	2.44	30,030	ħ09	576	154.4	6.0	. 67
<u> </u>	25G	CTR FRT	FLAT	1.9	2.13	22,300	844	1430	135.0	9.9	-82
	26Н	CTR REAR	FLAT	2.5	2.13	19,620	394	382	147.6	6.7	1:1
2	11A	R FRT	4.8cm rad. Hemisphere	ħ•ι	<i>L</i> ቱ°ι	16,850	339	353	132.4	5.4	.52
2	12B	R SIDE	=	2.7	1.47	10,170	504	196	82.2	10.0	.70
2	16C	R REAR	=	3.3	1.47	17,090	344	330	8.06	7.7	.58
5	17D	L FRT	FLAT	7.4	16.0	9,410	189	195	0.67	7.8	.61
2	18E	L SIDE	FLAT	2.5	0.91	10,070	202	174	83.5	7.6	.61
~	19F	L REAR	FLAT	2.1	0.91	10,470	211	176	83.9	7.2	•55
2	20H	REAR CTR	FLAT	2.1	1.22	13,930	280	252	108.8	6.3	₹9.
2	216	FRT CTR	FLAT	2.5	1.22	13,270	267	237	98.2	7.5	62.

Distance from shell outer surface to the metal headform

Vertical distance from the impact surface to helmet's point of contact (a)

Reaction force in load cell at the impact surface

Into value is calculated as follows: $3 \pm \frac{f}{3 \pm 81} \frac{10^3}{x}$ where $f \pm Transmitted force in Newtons and formand subsets of 5070 grams. Thus value is calculated as follows: <math>\frac{1}{3} \frac{area under}{areal nulse} \frac{accel}{x time} \frac{trace}{trace} \pm \frac{\delta V}{4}$

(e) Inis value is calculated as follows: "




Front of Helmet

Results and discussion

The two motorcycle-type helmets were subjected to 16 impact tests. The location of impact, energy of impact (drop height and total drop mass), impact surface, transmitted force, and acceleration to the headform are presented in Table 1. centroid of all impact points was at least 6 cm above the lower edge of the foam liner. The effect of increased drop height and concomitant impact energy from 0.91 to 1.47 m is shown in the plot of acceleration vs. time in Figure 3. The difference between a flat surface and a 4.8 cm radiused surface for equal impact energy (1.47 m drop height) also is shown in Figure 3. should be observed that the acceleration value obtained for eight (Nos. 10, 13, 14, 17, 18, 19, 20, and 21) impact tests at three different drop heights (0.91-, 1.22-, and 1.47 m) are consistent. This indicates uniform quality of the helmets as well as good instrumentation. The significant variation of the traces in the 4.8-cm radius drops shown in Figure 3 probably are caused by friction between the guide cables and the headform guide cage. This type of problem is more likely to occur when impacting the radiused surface than when impacting a flat surface due to the lateral movement of the headform and guide cage, as the helmet tends to "slip or slide" down the side of the radiused surface. The effect of increasing the drop height to 2.13- and to 2.44-m is shown in Figure 4. At the 2.13-m drop height, the two traces nearly are identical. At the 2.44-m drop height, the three traces differ as evidenced from comparison of the 580 peak \underline{g} on run 24 F (left rear) and the 350 peak g on run 23 E (left side). This large difference in peak g response most likely is caused by the "bottoming out" of the foam liner in run 24 F due to the small volume of foam compressed. A difference of only 1 mm in crush distance can result in a significantly large change in the peak acceleration level. It is possible that the friction prevented drops 22 D and 23 E from being greater than shown in Figure 4.

Peak headform deceleration vs. drop height is shown in Figure 5 and can be compared to the derived WSU tolerance curve (Haley et al. 1966); the effect of various energy levels is shown. The derived curve reveals (with three exceptions) that all experimental impacts on these helmets resulted in injurious \underline{g} values.

The 1975 Snell Foundation Helmet Specification calls for the helmet to permit transmission of a peak acceleration of 300~g or less when dropped from a height of 3.3~m (10.83 ft). From Figure 5, it can be seen that 9 out of the 16 experimental drops (Nos. 10, 12, 13, 14, 17, 18, 19, 20, and 21) would have passed the Snell Specification while the experimental runs designated Nos. 11, 16, 22, 23, 24, 25, and 26 would not have passed.



Control of the Contro

Figure 3. Variation of transmitted accelerations for three drop heights.




Figure 4. Variation of transmitted accelerations for two drop heights.

MOTORCYCLE HELMET IMPACT IDENTITY SURFACE

- O Helmet No. 1 Flat Impactor
- ☐ Helmet No. 2 Flat Impactor
- Helmet No. 2 4.8 cm Rad. Hemisphere Impactor




Figure 5. Peak headform deceleration vs. drop height compared to derived Wayne State University tolerance curve.

The British Standard requires that a motorcycle helmet not cause a peak headform force of greater than 4,400 lb (19,580 N) when a 5 kg headform mass is dropped from a height of 2.5 m (8.20 ft). From Table 1, it can be seen that experimental drops 24 and 25 resulted in a transmitted force of 30,000 N (6,673 lb) and 22,300 N (4,955 lb), respectively, and would have failed the requirements of the British (2001) Standard, as well as the US Department of Transportation (DOT) 218 Standard and the 1975 Snell Foundation Standard.

The fact that two of the impacts resulted in such a high level of transmitted force and acceleration focuses attention on the inadequate liner provided in the helmet. The liner should be no less than twice the thickness provided; <u>i.e.</u>, the liner should be no less than 25 mm in order to lower the transmitted force to tolerable levels for all impacts greater than 1 m in drop height.

Since it may be expected that motorcyclists may fall or be thrown from heights of 1.6 m up to 3.0 m, it is clear that riders could receive various degrees of head injury while wearing the helmet. These energy values are within the limits of 3.3 m (Snell 1975) and 1.8 m (DOT 218) for energy; however, both these standards permit transmitted acceleration to the head which is far in excess of the values recommended (Gurdjian 1962 and Haley et al., 1966, 1983).

Compendium of US Army SPH-4 flight helmet testing

For comparative purposes, the transmitted deceleration of the standard US Army Flight Helmet (Figure 6), the Sound Protective Helmet No. 4 (SPH-4), for 3- through 6-ft drops is summarized in Figure 7. The thickness and density of the SPH-4 helmet was varied as shown in Figure 7 to determine the effect on transmitted peak \underline{g} . It should be noted that the SPH-4 contains a polystyrene foam liner along with an energy-absorbing web suspension so that one would expect the helmet to yield lower peak \underline{g} values, especially in the apex region than do other helmets with equal foam thickness.

Note in Figure 7 that doubling the thickness of the polystyrene foam liner of the SPH-4 can result in headform peak \underline{g} values of only 140 \underline{g} at a drop height of 6 ft. This would increase the weight by only one-tenth (0.1) lb. Such dramatic improvement clearly points the way to improved helmet design.

ቖፚኯቜቑቔቔቔዸዸቔቑዹኯቔጜዄኯቑዹ፞ፚቑፚኯፚኯ፞ዸኯዄኯኯኯዄኯዄጚዄኯዀቜዺዄኯዹጚዺጚዺጜዺዹጚዹ




Figure 6. US Army aviator beine --- the SPH-4.

SANDERSON DE COMO DE LA PROPERSON DE LA PROPERSON DE COMO DE LA PROPERSON DE COMO DE LA PROPERSON DE COMO DE C




Figure 7. Transmitted deceleration of standard US Army aviator helmet (SPH-4).

Conclusions

- l. The motorcycle helmets tested did not provide adequate force attenuation to prevent concussion and/or more serious injury at all energy levels greater that a 1-m drop height.
- 2. Existing helmet standards permit the production of helmets which provide less protection than is possible, practical, and feasible.
- 3. The motorcycle helmets tested could be changed to provide more adequate protection by the doubling of the liner thickness to approximately 2.5 cm.

የውድጀመር የተለያዩ መደብ የተለያዩ የተለያዩ የተለያዩ የተለያዩ የተለያዩ የተለያዩ የተለያዩ

References

- American Standards Association (ASA). 1971. Specification for protective headgear for vehicular users. New York: American Standards Institute, Inc. 290.1-1971.
- British Standards Institution (BSI). 1972. <u>British Standard</u> 2001: 1972. London. British Standards Instution.
- Federal Motor Vehicle Safety Standards and Regulations. 1974. (FMVSS-No 218)-Motorcycle Helmets. 1 March 1974.
- Gurdjian, E. D., Lissner, H. R., and Patrick, L. M. 1962.

 Protection of the head and neck in sports. <u>Journal of the Aerospace Medical Association</u>. 182.(5): 509-514.
- Haley, J. L., Jr., Turnbow, J. W., Macki, S., and Walhout, G. J. 1966. <u>USAAVLABS TR 65-44 helmet design criteria for improved crash survival</u>. Fort Eustis, VA. Department of the Army Aviation Material Laboratory, AD-628-678, 12-18.
- Haley, J. L., Jr., Shanahan, D. F., Reading, T., and Knapp, S. 1983. Head impact hazards in helicopter operations and their mitigation through improved helmet design. In C. C. Thomas (Ed): Impact injuries of the head and spine. Chapter 18, p. 549.
- Hundley, T. A., Haley, J. L., Jr., and Shanahan, D. F. 1981.

 Medical design criteria for US Army motorcycle helmet. Fort Rucker, AL: US Army Aeromedical Research Laboratory. USAARL LR-81-2-4-1.
- Slobodnik, B. A. 1980. SPH-4 helmet damage and head injury correlation. Fort Rucker, AL: US Army Aeromedical Research Laboratory. USAARL Report No. 80-7.
- Snell. 1975. Standard for protective headgear. Snell Memorial Foundation, Sacramento, CA.

INITIAL DISTRIBUTION

Commander

US Army Natick Research and Development Center ATTN: Documents Librarian Natick, MA 01760

Commander

US Army Research Institute of Environmental Medicine Natick, MA 01760

Naval Submarine Medical Research Laboratory Medical Library, Naval Sub Base Box 900 Groton, CT 05340

US Army Avionics Research and Development Activity ATTN: SAVAA-P-TP Fort Monmouth, NJ 07703-5401

Commander/Director
US Army Combat Surveillance and
Target Acquisition Laboratory
ATTN: DELCS-D
Fort Monmouth, NJ 07703-5304

US Army Research and Development Support Activity Fort Monmouth, NJ 07703

Commander

10th Medical Laboratory ATTN: Audiologist APO New York 09180

Chief, Benet Weapons Laboratory LCWSL, USA ARRADCOM ATTN: DRDAR-LCB-TL Watervliet Arsenal, NY 12189

Commander

Naval Air Development Center Biophysics Lab (ATTN: G. Kydd) Code 60Bl Warminster, PA 18974 Commander
Man-Machine Integration System
Code 602
Naval Air Development Center
Warminster, PA 18974

Naval Air Development Center Technical Information Division Technical Support Detachment Warminster, PA 18974

Commander

Naval Air Development Center ATTN: Code 6021 (Mr. Brindle) Warminster, PA 18974

Dr. E. Hendler Human Factors Applications, Inc. 295 West Street Road Warminster, PA 18974

Commanding Officer
Naval Medical Research and
Development Command
National Naval Medical Center
Bethesda, MD 20014

Under Secretary of Defense for Research and Engineering ATTN: Military Assistant for Medical and Life Sciences Washington, DC 20301

Director Army Audiology and Speech Center Walter Reed Army Medical Center Washington, DC 20307-5001

COL Franklin H. Top, Jr., MD Walter Reed Army Institute of Research Washington, DC 20307-5100

Commander

US Army Institute of Dental Research Walter Reed Army Medical Center Washington, DC 20307-5300 HQ DA (DASG-PSP-0)
Washington, DC 20310

Naval Air Systems Command Technical Library Air 950D Rm 278, Jefferson Plaza II Department of the Navy Washington, DC 20361

Naval Research Laboratory Library Code 1433 Washington, DC 20375

Naval Research Laboratory Library Shock & Vibration Information Center Code 5804 Washington, DC 20375

Harry Diamond Laboratories
ATTN: Tech Information Branch
2800 Powder Mill Road
Adelphi, MD 29783-1197

Director
US Army Human Engineering Laboratory
ATTN: Technical Library
Aberdeen Proving Ground, MD
21005-5001

US Army Materiel Systems
Analysis Agency
ATTN: Reports Processing
Aberdeen Proving Ground, MD
21005-5017

Commander
US Army Test & Evaluation Command
ATTN: AMSTE-AD-H
Aberdeen Proving Ground, MD
21005-5055

US Army Ordnance Center & School Library Bldg 3071 Aberdeen Proving Ground, MD 21005-5201

Director

US Army Ballistic Research Laboratory
ATTN: AMCDE-S (CPT Brown Solution of Street Brow

US Army Environmental Hygiene Agency Library Bldg E2100 Aberdeen Proving Ground, MD 21010

Commander
US Army Medical Research Institute
of Chemical Defense
ATTN: SGRD-UV-AO

Aberdeen Proving Ground, MD 21010-5425

Technical Library Chemical Research & Development Center Aberdeen Proving Ground, MD 21010-5423

Commander
US Army Medical Research
& Development Command
ATTN: SGRD-RMS (Mrs. Madigan)
Fort Detrick, Frederick, MD

21701-5012

Commander
US Army Medical Research Institute
of Infectious Diseases

Fort Detrick, Frederick, MD 21701

Commander
US Army Medical Bioengineering
Research & Development Laboratory
ATTN: SGRD-UBZ-I
Fort Detrick, Frederick, MD 21701

Dr. R. Newburgh
Director, Biological Sciences Division
Office of Naval Research
600 North Quincy Street
Arlington, VA 22217

Defense Technical Information Center Cameron Station Alexandria, VA 22314

Commander
US Army Materiel Command
ATTN: AMCDE-S (CPT Broadwater)
5001 Eisenhower Avenue
Alexandria, VA 22333

US Army Foreign Science and Technology Center ATTN: MTZ

220 7th Street, NE

Charlottesville, VA 22901-5396

Commandant

US Army Aviation Logistics School

ATTN: ATSQ-TDN

Fort Eustis, VA 23604

Director, Applied Technology Lab

USARTL-AVSCOM

ATTN: Library, Bldg 401 Fort Eustis, VA 23604

US Army Training and Doctrine Command ATTN: ATCD-ZX

Fort Monroe, VA 23651

US Army Training and Doctrine Command ATTN: Surgeon

Fort Monroe, VA 23651-5000

Structures Laboratory Library USARTL-AVSCOM NASA Langley Research Center Mail Stop 266 Hampton, VA 23665

Aviation Medicine Clinic TMC #22, SAAF Fort Bragg, BC 28305

Naval Aerospace Medical Institute Library Bldg 1953, Code 102 Pensacola, FL 32508

US Air Force Armament Development and Test Center Eglin Air Force Base, FL 32542

Command Surgeon US Central Command MacDill AFB, FL 33608

US Army Missile Command Redstone Scientific Information Center Propulsion Laboratory MS 302-2 ATTN: Documents Section

Redstone Arsenal, AL 35898-5241

Air University Library (AUL/LSE) Maxwell AFB, AL 36112

Commander

US Army Aeromedical Center Fort Rucker, AL 36362

Commander

US Army Aviation Center & Fort Rucke

ATTN: ATZQ-CDR

Fort Rucker, AL 36362

Directorate of Combat Developments Bldg 507 Fort Rucker, AL 36362

Directorate of Training Development Bldg 502 Fort Rucker, AL 36362

Chief Army Research Institute Field Unit Fort Rucker, AL 36362

Chief Human Engineering Labs Field Unit Fort Rucker, AL 36362

Commander US Army Safety Center Fort Rucker, AL 36362

Commander US Army Aviation Center & Fort Rucke ATTN: ATZQ-T-ATL

Fort Rucker, AL 36362

US Army Aircraft Development Test Activity ATTN: STEBG-MP-QA Cairns AAF, Ft Rucker, AL 36362

President US Army Aviation Board Cairns AAF, Ft Rucker, AL 36362

US Army Research & Technology Laboratories (AVSCOM) NASA Lewis Research Center Cleveland, OH 44135

የመዘፅ የውስ ውስ ውስ ውስ ውስ ውስ የተከለተው የመደን የመስፈርስ ለመስፈርስ ለመስፈርስ ለመስፈርስ ለመስፈርስ ለመስፈርስ ለመስፈርስ ለመስፈርስ ለመስፈርስ ለመስፈርስ ለመስፈርስ

AFAMRL/HEX Wright-Patterson AFB, OH 45433

US Air Force Institute of Technology (AFIT/LDEE) Bldg 640, Area B Wright-Patterson AFB, OH 45433

University of Michigan
NASA Center of Excellence
in Man-Systems Research
ATTN: R.G. Snyder, Director
Ann Arbor, MI 48109

Henry L. Taylor Director, Institute of Aviation Univ of Illinois - Willard Airport Savoy, IL 61874

John A. Dellinger, MS, ATP Univ of Illinois - Willard Airport Savoy, IL 61874

Commander

US Army Aviation Systems Command ATTN: DRSAV-WS 4300 Goodfellow Blvd St Louis, MO 63120-1798

Project Officer Aviation Life Support Equipment ATTN: AMCPO-ALSE 4300 Goodfellow Blvd St Louis, MO 63120-1798

Commander

US Army Aviation Systems Command ATTN: SGRD-UAX-AL (MAJ Lacy) Bldg 105, 4300 Goodfellow Blvd St Louis, MO 63120

Commander

US Army Aviation Systems Command ATTN: DRSAV-ED 4300 Goodfellow Blvd St Louis, MO 63120

US Army Aviation Systems Command Library & Info Center Branch ATTN: DRSAV-DIL 4300 Goodfellow Blvd St Louis, MO 63120 Commanding Officer
Naval Biodynamics Laboratory
P.O. Box 24907
New Orleans, LA 70189

Federal Aviation Administration Civil Aeromedical Institute CAMI Library AAC 64D1 P.O. Box 25082 Oklahoma City, OK 73125

US Army Field Artillery School ATTN: Library Snow Hall, Room 14 Fort Sill, OK 73503

Commander

US Army Academy of Health Sciences ATTN: Library Fort Sam Houston, TX 78234

Commander

US Army Health Services Command ATTN: HSOP-SO Fort Sam Houston, TX 78234-6000

Commander

US Army Institute of Surgical Research ATTN: SGRD-USM (Jan Duke) Fort Sam Houston, TX 78234-6200

Director of Professional Services AFMSC/GSP Brooks Air Force Base, TX 78235

US Air Force School
of Aerospace Medicine
Strughold Aeromedical Library
Documents Section, USAFSAM/TSK-4
Brooks Air Force Base, TX 78235

US Army Dugway Proving Ground Technical Library Bldg 5330 Dugway, UT 84022

Dr. Diane Damos
Department of Human Factors
ISSM, USC
Los Angeles, CA 90089-0021

መጀመብ የመጀመር የተስፈር የተስፈር የመጀመር የመስፈር የመጀመር የተመደር የተመደር

US Army Yuma Proving Ground Technical Library Yuma, AZ 85364

US Army White Sands Missile Range Technical Library Division White Sands Missile Range, NM 88002

US Air Force Flight Test Center Technical Library, Stop 238 Edwards Air Force Base, CA 93523

US Army Aviation Engineering Flight Activity ATTN: SAVTE-M (Tech Lib) Stop 217 Edwards AFB, CA 93523-5000

Commander Code 3431 Naval Weapons Center China Lake, CA 93555

US Army Combat Developments
Experimental Center
Technical Information Center
Bldg 2925
Fort Ord, CA 93941-5000

Aeromechanics Laboratory
US Army Research
& Technical Laboratories
Ames Research Center, M/S 215-1
Moffett Field, CA 94035

Commander

Letterman Army Institute of Research ATTN: Medical Research Library Presidio of San Francisco, CA 94129

Sixth US Army ATTN: SMA Presidio of San Francisco, CA 94129

Director Naval Biosciences Laboratory Naval Supply Center, Bldg 844 Oakland, CA 94625

Col G. Stebbing
USDAO-AMLO, US Embassy
Box 36
FPO New York 09510

Staff Officer, Aerospace Medicine RAF Staff, British Embassy 3100 Massachusetts Avenue, NW Washington, DC 20008

Canadian Society of Aviation Medicine c/o Academy of Medicine, Toronto ATTN: Ms. Carmen King 288 Bloor Street West Toronto, Ontario M55 1V8

Canadian Airline Pilot's Association MAJ J. Soutendam (Retired) 1300 Steeles Avenue East Brampton, Ontario, L6T 1A2

Canadian Forces Medical Liaison Officer Canadian Defence Liaison Staff 2450 Massachusetts Avenue, NW Washington, DC 20008

Commanding Officer 404 Squadron CFB Greenwood Greenwood, Nova Scotia BOP 1NO

Officer Commanding
School of Operational
& Aerospace Medicine
DCIEM, P.O. Box 2000
1133 Sheppard Avenue West
Downsview, Ontario M3M 3B9

National Defence Headquarters 101 Colonel By Drive ATTN: DPM Ottowa, Ontario KIA OK2

ቔቔቔዀዿዀቔዀጜዄ፞ዸዀጜዄዺዄዹዄዹዄዹዄዹዄዹዄዀዄዄዿፙዹፙዹፙቝፙዹጚዺዄዹዄዿዄዿዄዹዄ_ጜዄ

Commanding Officer Headquarters, RAAF Base POINT COOK VIC 3029 Australia Canadian Army Liaison Office Bldg 602 Fort Rucker, AL 36362

Netherlands Army Liaison Office Bldg 602 Fort Rucker, AL 36362

German Army Liaison Office Bldg 602 Fort Rucker, AL 36362

British Army Liaison Office Bldg 602 Fort Rucker, AL 36362

French Army Liaison Office Bldg 602 Fort Rucker, AL 36362 = ILMED